APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	FEB 1 0 1984	
Returned to applicant for correction	MAR 2 1984	
Corrected application filed		
Map filed	MAR 1 2 1984	
What are the second sec		
Street and No. or P.O. Box No.	, of	Las Vegas, City or Town
		cation for permission to appropriate the public
		corporation, give date and place of incorpora-
tion; if a copartnership or association, give nan	nes of members.)	
		=
1. The source of the proposed appropriation	is underground	SOURCE am, lake, spring, underground or other source
	Name of stre	am, lake, spring, underground or other source
2. The amount of water applied for is	0.030 C.F.S	second-feet
•	One second-xoot equ	iais 448.83 gais. per min.
		(2 homes and Wag-Inn Kennels)
4. If use is for:	on, power, mining, manufacturing	s, domestic, or other use. Must limit to one use.
•	irrigated	
	_	
(d) Power:		
•		
		vithin the NWA SEA Section 4. Describe as being within a 40-acre subdivision of public
Township 22 South, Range 61 Eas	t M.D.M. from wito	h the Southeast Corner of Said
survey, and by course and distance to a section corner	r. If on unsurveyed land, it shoul	ld be so stated. 92.94 feet.
•		South, Range 61 East M.D.M.
Describe	by legal subdivision. If on unsur	veyed land, it should be so stated.
	•••••	
7. Use will begin aboutlanuary_1	and end about	December 31., of each year.
		Month and Day 5.010 you may be required to submit plans and
specifications of your diversion or storage pressure tank with 500' of 2" p Completed)	lastic \$200000 in wh	
Completed) flumes, drilled well with pump and motor, etc. 9. Estimated cost of works \$6000-0		
. Turning conf or moreon		

10	Estimated time required to construct works 2 years			
10.	Estimated time required to construct works. 2 years If well completed, describe works.			
1 1.	Estimated time required to complete the application of water to beneficial use			
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.			
	2 homes to be serviced water and Wag Inn Dog Kennels to be serviced Water			
	(not to exceed 3,000,000.0 Gal per year.			
Con	By S/Richard L. Hafen Richard L. Hafen Agent npared bc/bl bl/bc 2383 Gateway Rd, Las Vegas, Nevada 89115			
	tested			
FIO	icstcu.			
	DENIAL OF STATE ENGINEER			
follo	deny This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the owing limitations and conditions:			
	This application is herewith denied on the grounds that the applicant has failed			
	to submit the permit fees required under the provisions of NRS 533.435.			
	to bubility the perime rees required under the provisions of like 500.405.			
	· · · · · · · · · · · · · · · · · · ·			
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and			
not	to exceedcubic feet per second			
Woı	rk must be prosecuted with reasonable diligence and be completed on or before			
Pro	of of completion of work shall be filed before			
App	plication of water to beneficial use shall be made on or before			
Pro	of of the application of water to beneficial use shall be filed on or before.			
Maj	p in support of proof of beneficial use shall be filed on or before			
Com	in Testimony Whereof, I. PETER G. MORROS			
Proc	State Engineer of Nevada, have hereunto set my hand and the seal of my office, this			
Cult	ural map filed.			
Cert	ificate No. Issued. AD 19 86			
	State Engineer			